

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	"5915105".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 10:27
S2	2	("5915105" "6147479").pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 19:32
S3	0	"779149"	JPO	OR	ON	2004/11/23 10:31
S4	0	"7-79149"	JPO	OR	ON	2004/11/23 10:31
S5	0	"779149".an.	JPO	OR	ON	2004/11/23 10:31
S6	0	"779149".pn.	JPO	OR	ON	2004/11/23 10:31
S7	1468	(reference adj potential) same (internal)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 19:45
S8	500	S7 and ((reference adj potential) same (external))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 19:47
S9	27	S8 and ((reference adj potential) same (conversion and circuit))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 19:47
S10	20	S9 and (data)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 19:36
S11	1	S9 and (data same compar\$5 same reference)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 19:48
S12	1	S10 and (data same compar\$5 same reference)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 19:48
S13	8650	(reference adj (potential or voltage)) same (internal)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 19:51
S15	3048	S13 and ((reference adj (potential or voltage)) same (external))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 19:52

S17	266	S15 and ((reference adj (potential or voltage)) same (conversion and circuit))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 19:53
S18	63	S17 and (data same compar\$5 same reference)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 19:48
S19	63	S18 and (data same compar\$5 same reference)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 19:49
S20	5127	(reference adj (potential or voltage)) with (internal)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 20:18
S21	1714	S20 and ((reference adj (potential or voltage)) with (external))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 19:52
S22	321	S21 and (data adj signal)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 20:16
S23	45	(KUSHIYAMA-NATSUKI KUSHIYAMA-NATSUKI-C-O-INTELLEC). in.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 20:17
S24	30	S23 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 20:26
S25	0	S24 and S21	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 20:18
S26	0	S24 and S20	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 20:18
S27	4	S24 and (reference adj (potential or voltage))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 20:25
S28	475	(reference adj (potential or voltage)) with (internal and external and (conver\$5 and circuit))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 20:28

S29	285	S28 and @ad<"20000623"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 20:26
S30	231	S29 and (((input or data) same (signal)) and compar\$5)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 20:29
S31	475	(reference adj (potential or voltage)) with (internal and external and conver\$5 and circuit)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 20:28
S32	57	S29 and (((((input or data) with signal) same compar\$5) same ((reference adj (potential or voltage)) with internal))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 20:31
S33	15	S29 and (((((multiple or plural or several or "n" or duplicate or redundant) and (input or data) with signal) same compar\$5) same ((reference adj (potential or voltage)) with internal))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2004/11/23 20:33